





Safety Harness Inspection Check List

Manufacturer: Safety Direct Ltd.

Model # MH2011106



7	✓	Priority 1 Item
28	X	Priority 2 Item
Item # (see table 1)	✓	- Acceptable
	X	- Not Acceptable

Summary

	# of 'x's	Maximum Allowed	Pass (P) or Fail (F)
P1	<input type="text"/>	0	<input type="text"/>
P2	<input type="text"/>	3	<input type="text"/>
Results: Pass only if		P	P

Final Rating

© Copyright 2010 Safety Direct Ltd.

PERIODIC INSPECTION INSTRUCTIONS

1	Spread the harness out on a flat surface.
2	Visually inspect each component and assess its condition. Refer to Table 1 " Non-acceptance criteria " and Table 2 " Inspection guide " for guidance in assessing the Pass/Fail determination.
3	Mark either "✓" (acceptable) or "✘" (not acceptable) in the correct empty box for each component.
4	Commencing with the Priority 1 items (rectangular boxes) count the total number of ✘'s. Enter this total in the summary.
5	Count the total number of ✘'s for the Priority 2 items (oval boxes). Enter this total in the summary.
6	In the summary box determine pass (P) or fail (F) for each of the two priorities.
7	Determine the overall evaluation of the harness and mark either pass (P) or fail (F) in the large box.
8	Fill in the Inspector identification information on the place provided at the bottom of Table 1

***Definitions:**
Priority 1 items: Components that are directly related to the fall arrest function.
Priority 2 items: Components that are indirectly related to the fall arrest function.

FALL PROTECTION EQUIPMENT – INSPECTION INSTRUCTIONS PRIOR TO USE

FREQUENCY	INSPECTION INSTRUCTIONS
BEFORE EACH USE	<p>WEBBING Visual inspection: Check all webbing for any signs of cuts, excessive fraying, piercing, pulled or broken stitching, abrasion, excessive wear, altered or missing straps, burns, and heat or chemical exposure of the webbing.</p> <p>Pass/Fail criteria: If any of the above defects are observed on the webbing, which would compromise the integrity of the harness, remove the harness from service.</p> <p>Chest strap: Visually check the fastening mechanism.</p> <p>Pass/Fail criteria: If the fastening mechanism is found to be defective remove the harness from service. If the harness uses any fastening device that is not a metal buckle, remove the harness from service.</p> <p>HARDWARE Determine the design of all buckles. If a harness has any buckles that are three bar slides and not two-piece metal buckles, remove the harness from service.</p> <p>Appearance: Visually check all hardware for cracks, burrs, deformation, dents, nicks, corrosion or any other significant defects.</p> <p>Pass/Fail criteria: Remove from service if any cracks are apparent. Minor defects are acceptable if the functioning of the hardware is not impaired.</p>

CARE	PROCEDURE
CLEANING	Wipe off all surface dirt with a damp sponge or cloth. Then using a solution of a mild detergent and water, rub the web with a sponge or cloth and rinse thoroughly with clean water. Hang to dry away from excessive heat.
STORAGE	After Cleaning store in a clean dry area away from fumes, excessive heat and corrosive conditions.

MANUFACTURER:
 MODEL NUMBER: MH201 _____
 DATE OF MANUFACTURE:

**TABLE 1
NON-ACCEPTANCE CRITERIA★**

PART		TYPE OF DAMAGE	ALLOWABLE DEVIATION (from new condition)	
			Priority 1 Items	Priority 2 Items
Metallic	D-rings O-rings Buckles Snap hooks	Wear/Abrasion	0.8 mm	1.5 mm
		Missing	0 %	0 %
		Deformed/Fractured	0 %	0 %
		Corrosion (coverage)	10 %	10 %
	Grommets Rivets	Missing	0 %	0%
		Deformed	10 %	20 %
		Fractured	0 %	0 %
		Corrosion (coverage)	10 %	25 %
Plastic	D-ring back pad Belt keepers (★★) Shoulder Pads	Wear/Abrasion	10 %	25 %
		Missing	0 %	0 %
		Deformed	10 %	25 %
		Fractured	0 %	0 %
Stitching	All	Broken Wear/Abrasion Missing	5 %	10 %
Webbing	Shoulder straps Chest straps Leg straps Waist belt	Cuts/Penetrations	5 %	15 %
		Wear/Abrasion	15 %	20 %
		Missing	0 %	0 %
		Heat damage	0 %	5 %
		Chemical damage	0 %	5 %

★ All numeric values are approximate.

★★ (2) Missing belt keepers on the same leg strap constitute a FAILURE. Remove the harness from service until they are replaced.

INSPECTOR IDENTIFICATION	
NAME:	LOCATION:
SIGNATURE:	DATE:

Note: The above table is intended as a guide only, any inspector must be competent, and use good judgement in evaluating a harness or other piece of fall protection equipment. If there is any doubt or questions as to the condition of an item remove it from service!

TABLE 2
INSPECTION GUIDE

FULL BODY HARNESS MODEL 201

ITEM NUMBER	NAME/DESCRIPTION	PRIORITY
1	Stitching	1
2	Stitching	1
3	Buckle	1
4	Stitching	1
5	Stitching	1
6	Buckle	1
7	Stitching	1
8	Leg strap	1
9	Leg strap	1
10	Sub-pelvic strap	1
11	Stitching	1
12	Stitching	1
13	Stitching	1
14	Stitching	1
15	Adjustable roller buckle	1
16	Stitching	1
17	Sternal D-ring/ Alternate oval link	1
18	Shoulder strap	1
19	Shoulder strap	1
20	D-ring back pad	1
21	Dorsal D-ring	1
22	Buckle	1
23	Stitching	1
24	Stitching	1
25	Buckle	1
26	Stitching	1
27	Buckle	2
28	Belt keeper (multiples)	1
29	Stitching, end pattern	1
30	Three bar buckle	1
31	CSA Product labels	1
32	Fall Indicators	1
33	Positioning D	2
34	Shoulder Pads	2
35	Shoulder D Rings	2